WASATCH CARE CENTER 3430 HARRISON BOULEVARD OGDEN UT 84403 STATE'S REGION CODE: 001

TYPE ACTION: RECERTIFICATION

PROVIDER #: 465009 FACILITY BEDS
PHONE NUMBER: (801) 399-5609
PARTICIPATION DATE: 04/30/1979 CERTIFIED: 69 TOTAL: 69
TYPE OWNERSHIP: FOR PROFIT - CORPORATION

COMPLIANCE STATUS: FACILITY MEETS REQUIREMENTS BASED ON AN ACCEPTABLE PLAN OF CORRECTION

RESIDENT	CENSUS	ON 07/	/11/20	02		LTC ADM	MISSION	/SUSPENSION D	ATES		TOTAL CERTIFIED BEDS: 69
TOTAL: 57 MEDICARE: 14 MEDICAID: 30 OTHER: 13			L 4 3 0	ADMISSION SUSPENSION RES						18 18/19 19 ICF/MR 69	
CURRENT SURVEY REVISIT DATES - 09/18/2002											
PRIOR 3 SURVEY 04/1999	CODE SUI		CODE	PRIOR 1 SURVEY 05/2001	CODE	CURRENT SURVEY 07/11/20	CODE	PLAN/DATE OF CORRECT		PF	ROGRAM REQUIREMENTS
Х	D 2	X	D	X X	E D	ХС	D	09/11/2002	REQ REQ	F0426-E F0444-V F0463-E	RANGE OF MOTION TREATMENT & SERVICES FACILITY PROVIDES PHARMACEUTICAL SERVICES WASH HANDS WHEN INDICATED RESIDENT CALL SYSTEM ENVIRONMENT IS SAFE/FUNCTIONAL/SANITARY/COMFORTAE
	1	X	D	Α	Б	ХС	E	09/11/2002	REQ	F0494-NURSE AIDE TRAINING/CO	
85 EXIST PRIOR 3 SURVEY	OF LSC APPRIOR 2 SURVEY 04/2000 X X X X X X X X	r 85 E PRIC SURV	EXIST DR 1 VEY 2001		OF (2)22 08 08 07 08 08 07 08 08 08 08 08 08 08 08 08 08 08 08 08	LAN/DATE CORRECTION 3/31/2002 3/31/2002 7/15/2002 7/15/2002 3/31/2002 7/15/2002 8/31/2002	1	K0 K0 K0 K0 K0 K0 K0 K0	017-CC 018-CC 025-SN 038-EX 050-FI 051-FI 052-TF 054-SN 056-AU 062-SF	PRRIDOR VARRIDOR INTERPORT INTO ACCESS RE DRILLI RE ALARM STING OF TOMATIC TRINKLER RINKLER RRISHING WETRATIC	DOORS TITION CONSTRUCTION SS
DEFICIENCY SU					JRRENT JRVEY		PRIOR 1 SURVEY	SU	RIOR 2	PRIOR 3 SURVEY	
CONDITIO REQUIREM HEALTH T LIFE SAF LIFE SAF	N ENT OTAL ETY CODE	+ HE <i>I</i>	ALTH			0 2 2 7 9		0 2 2 6 8		0 2 2 2 6	1 1 4 5

## COMPLAINT SURVEY INFORMATION

SURVEY DATE	STATUS
07/23/2001	SUBSTANTIATED
L1/14/2001	UNSUBSTANTIATED
L2/11/2001	UNSUBSTANTIATED
04/02/2002	SUBSTANTIATED

## FMS SURVEY INFORMATION

SURVEY DATE	TYPE OF SURVE
06/14/2001	COMPARATIVE

C=DATE OF CORRECTION N=NO DATE GIVEN COP = CONDITION REQ = REQUIREMENT P=PLAN OF CORRECTION R=REFUSED TO CORRECT W=WAIVED X=DEFICIENT